


| IATF 16949 | ISO 14001 | ISO 9001 | IMDS ID:38606 | RoHS |

Acoustical crossover network

CUSTOM DESIGN

ANY SPECIAL VALUE AND SIZE ARE ACCEPTABLE UPON DISCUSSION



V.2018.03

BENNIC AND COMPANY

TEL: +886 2 2765 4485 FAX: +886 2 2763 6054 E-mail: mail@bennic.com.tw

http://www.bennic.com.tw





<u>Customized Crossover Network Assembling Service</u>

We offer network assembling service to our clients. Most of the components are made in our own factory. In addition, We have over 10 year crossover network assembling experiences. Service and product quality are very good and extreme reliable.

Examples



http://www.bennic.com.tw



To Start an Assembling Project

In order to design ideal crossover network for our client smoothly, we recommend our client directly contact our sales engineer to discuss the functional requirement of the crossover network. Before starting the discussion, these data are needed:

- 1. Fundamental function:
 - a. 2 or 3 ways crossover.
 - b. Crossover point for your speaker, please provided in Hz.
 - c. Load power.
- 2. What type of PCB do you want? Here is the reference:
 - a. Single side or double side
 - b. 1oz or 2oz copper, material...
- 3. Please provide the PCB print and assign the components of the cross over, we have various types of inductor, capacitors and power resisters. PP metalized film capacitor is recommended in high power crossover.
- 4. What is the crossover point of your product?
- 5. Please provide the authority of your company if you want your LOGO to be printed on the crossover.
- 6. Budget. How much budget could you offer for this assembled network?



Briefing of our Assembling Line

Here is one example of how we make the crossover network.

1. Inserting




2. Cable Tie



3. Cutting



4. Automatic Soldering




5. Assembling



6. Gluing



7. Testing



8. Packing



9. Finished

